

# Approved Seals Version 1.7



© The State of Queensland (Department of Justice and Attorney-General) 2013. Copyright protects this publication. The State of Queensland has no objection to this material being reproduced but asserts its right to be recognised as author of its original material and the right to have its material remain unaltered. Enquiries should be addressed to <u>crown.copyright@qld.gov.au</u>

The information contained herein is subject to change without notice. The copyright owner shall not be liable for technical or other errors or omissions contained herein. The reader/user accepts all risks and responsibility for losses, damages, costs and other consequences resulting directly or indirectly from using this information.

The QCOM specification is the intellectual property of The State of Queensland. In order to implement the QCOM specification or subsequent versions, the necessary licensing arrangements will be required to be entered into.

For further information, please contact the Office of Liquor and Gaming Regulation on 13 QGOV (13 74 68) or visit www.olgr.qld.gov.au

## 1 Contents

1	Contents	3
2	Introduction	4
3	Definitions / Abbreviations	4
4	Approved Seals	5
5	Suppliers of Approved Seals	8
6	Restrictions on Seal Use	9
7	Revision History	10

## 2 Introduction

#### 2.1 Policy

All seals used to secure regulated gaming equipment as required in legislation or equipment approval under the following legislation must be approved and fit for purpose:

- Casino Control Act
- Charitable and Non Profit Gaming Act
- Gaming Machine Act
- Keno Act
- Lotteries Act
- Wagering Act

Adhesive seal types must be used with high risk devices and applications.

#### 2.2 Purpose

The purpose of this document is to advise the industry of approved Seals (and Suppliers) to:

- Ensure that only approved seals are used to secure gaming equipment.
- Ensure all seals are uniquely identified and able to be tracked to a licensed party.
- Achieve a high standard of integrity of seals used in gaming in Queensland.

#### 2.3 Scope

This document is applicable to seals which are required to be used, as specified in legislation or as part of an equipment approval, to insure the integrity of regulated gaming equipment in Queensland. Note seals must be placed on the following types of gaming equipment:

- Electronic Gaming Machines (EGMs)
- Site Controllers (SC)
- Any Jackpot Triggering Device (JTD) that is not an EGM
- · On any other equipment as directed by the OLGR

# **3** Definitions / Abbreviations

#### 3.1 Seal


Device used to secure a door or access to an area which must be broken for the area to be accessed. If the secured area is accessed the seal must clearly indicate this. Each seal must be uniquely numbered to allow tracking of when the seal was applied and when the secured area was last accessed.

## 4 Approved Seals

## 4.1 Harcor: Brooks Enduro Acrylic Padlock Seal




Brooks Enduro Acrylic Padlock Seal Part no: br03914



#### 4.2 B-Sealed: Jawlock (205mm and 255mm)

B-Sealed Jawlock 205mm B-Sealed Jawlock 255mm

#### 4.3 B-Sealed: Padlock



**B-Sealed Padlock** 

#### 4.4 Vikoh: Subscribe Commission Seal




'Subscribe' Tamper Evident Security Commission Seal

Note: The TABCORP and Treasury Casino name / logo must be changed to that of the appropriate operator.

Note: This seal is not approved for the application of sealing EGMs.

# 4.5 Corsair Trading P/L Seals



CS-05 (Top) CS-02 (Bottom).



CS-03

# 5 Suppliers of Approved Seals

### 5.1 Harcor

Supplier:	Harcor Security Seals Pty. Ltd.		
Address:	Unit 2 / 5-7 Cairns Street		
	Loganholme, QLD 4129		
Telephone:	+ 61 (0)7 3209 8225		
Fax:	+ 61 (0)7 3823 3774		
E-mail:	sales@harcor.com.au		
Website:	http://www.harcor.com.au		

## 5.2 B-Sealed Pty. Ltd.

Supplier: Address:	B-Sealed Pty. Ltd. PO Box 8223 Baulkham Hills DC Unit 1, 10 Tollis Place Seven Hills NSW 2147 Australia
Telephone:	(02) 9620 5988
Fax:	(02) 9620 5899
E-mail:	sales@bsealed.com.au
Website:	http://www.bsealed.com.au

#### 5.3 Vikoh

Vikoh Pty Ltd.
Factory 23 No. 8-14 St Jude Court,
Browns Plains, QLD 4118
+61-7-3800 4910
+61-7-3800 4920
sales@vikoh.com
sales@vikoh.com.au
http://www.vikoh.com/

#### 5.4 Corsair

Supplier:	Corsair Trading P/L.
Address:	719 Wynnum Rd
	Morningside
	QLD 4170
Telephone:	(07) 3393 0315
Fax:	(07) 3399 8986
E-mail:	info@corsairtrading.com.au
Website:	http://corsairtrading.com.au/

## 6 Restrictions on Seal Use

- 6.1.1 Each seal must be indelibly identified with the licensed operator's or licensed service contractor's name or logo.
- 6.1.2 Each seal must be uniquely numbered with respect to the operator or service contractor's name as identified on the seal.
- 6.1.3 Upon installation, pull through seals must be completely pulled through to minimise the risk of the seal being removed and reapplied.
- 6.1.4 Seals must be applied at the designated seal point in accordance with any approval conditions concerning sealing or seal types and any instructions for the seal type from the seal manufacturer.

# 7 Revision History

Version	Changes	QIR	Who	Release Date
1.0	Initial release		RL	20/03/02
1.1	Corrected contact details of seal suppliers		RL	22/10/03
1.2	Changed document title from Approval to Approved		DS	27/05/04
1.3	Updated Contact details	313	JA	3/03/2005
1.4	Update format. Add Mikoh Adhesive Seal. Separate Seal and Supplier sections.	498	СН	1/9/06
1.5	Add restrictions on seal use to explicitly require unique identifier on each seal. Update to incorporate new titles. Update Supplier contact information. Update to include the Corsair Trading physical seal.	611 732	LC CB	18/11/08
1.5.1	Updated to new DEEDI Report document template		RLL	20/8/2010
1.6	Updated contact details for Vikoh (formerly Mikoh) and B-Sealed (formerly Interpac) Update to DJAG template.	-	JM RLL NW	1/08/2011
1.7	Added new Corsair Seal type CS-03 Updated contact details for Harcor & Vikoh		RL	31/01/2013

Note to Editors:

Seal photos should show:

- a scale indicator (e.g. a coin or ruler)
- a locked and unlocked view combined with a front/rear view
- fairly high resolution for detail; half a page approx

Check seal supplier contact details if the last revision is greater than one year ago.