Port Procedures and Information for Shipping – Port of Townsville

November 2023



Creative Commons information

© State of Queensland (Department of Transport and Main Roads) 2022



http://creativecommons.org.licences/by/4.0/

This work is licensed under a Creative Commons Attribution 4.0 Licence. You are free to copy, communicate and adapt the work, as long as you attribute the authors.

The Queensland Government supports and encourages the dissemination and exchange of information. However, copyright protects this publication. The State of Queensland has no objection to this material being reproduced, made available online or electronically but only if it's recognised as the owner of the copyright and this material remains unaltered.



The Queensland Government is committed to providing accessible services to Queenslanders of all cultural and linguistic backgrounds. If you have difficulty understanding this publication and need a translator, please call the Translating and Interpreting Service (TIS National) on 13 14 50 and ask them to telephone the Queensland Department of Transport and Main Roads on 13 74

Disclaimer: While every care has been taken in preparing this publication, the State of Queensland accepts no responsibility for decisions or actions taken as a result of any data, information, statement or advice, expressed or implied, contained within. To the best of our knowledge, the content was correct at the time of publishing.



HARBOUR MASTER'S DIRECTION

Transport Operations (Marine Safety) Act 1994 Division 2, Subdivision 1, Section 86 - 92

I, Captain Frank D'Souza, Regional Harbour Master, Townsville, am appointed as harbour master under part 7 of Transport Operations (Marine Safety) Act 1994.

Under section 86 of the *Transport Operations* (Marine Safety) Act 1994 a harbour master may give a direction only if the harbour master reasonably considers it necessary to ensure safety. Further, section 86A of the *Transport Operations* (Marine Safety) Act 1994 enables a harbour master to give a general direction that applies to all ship owners, ship masters, ships, other persons or matters.

I am satisfied that it is necessary to issue this direction to ensure marine safety in the Port of Townsville. Sections of the Port Procedures and Information for Shipping – Port of Townsville (http://www.gld.gov.au/Shipping.aspx) are mandatory and must be complied with. Only those sections listed in Schedule 1 are mandatory by this general direction.

I DIRECT THAT:

The sections of the Port Procedures Information for Shipping – Port of Townsville listed in Schedule 1 of this direction must be complied with by all ship owners, ship masters, ships, other persons or matters in the Port of Townsville.

Note:

It is an offence to fail to comply with my direction without a reasonable excuse. It is also an offence to obstruct a harbour master in the exercise of a power. The maximum penalty is 200 penalty units for an individual for each offence. If you fail to comply with my direction, then I may carry out the direction myself, and recover all expenses associated with performing the direction for you as a debt in civil jurisdiction.

Captain Frank R. D'Souza

Regional Harbour Master (Townsville)

Maritime Safety Queensland

DATED AT Townsville this 09th day of ay 2023

Schedule 1

| Section | Title | | | |
|---------|--|--|--|--|
| 2.5 | Arrival / Departure Report | | | |
| 2.8 | Dangerous Goods | | | |
| 3.5 | Prior Notification of Movements | | | |
| 3.6 | QSHIPS (Queensland Ship information planning system) | | | |
| 3.7 | Booking a Vessel Movement | | | |
| 3.9 | Tug and Tow Requirements | | | |
| 3.11 | Movement information and Permission to proceed | | | |
| 3.11.1 | Arrival – Permission to Proceed | | | |
| 3.11.2 | Removal – Permission to Proceed | | | |
| 3.11.3 | Departure – Permission to Proceed | | | |
| 3.13 | Arrival Reporting Requirements | | | |
| 3.14 | Departure and Removal Reporting Requirements | | | |
| 3.16 | Reporting defects | | | |
| 4.5 | Maximum Vessel Size | | | |
| 4.6 | Trim Requirements | | | |
| 5.1.1 | Wharf space between ships | | | |
| 5.1.2 | Berthing direction | | | |
| 5.2 | Berth Restrictions | | | |
| 6.2 | Cyclone Procedures | | | |
| 7.2 | Speed | | | |
| 7.3 | Draft Restrictions and under keel clearance | | | |
| 7.5.3 | Warping – Distance more than 60 metres | | | |
| 7.7 | Swinging and Passing Restrictions | | | |
| 8.4 | Pilot Boarding Ground | | | |
| 9.2 | Tug Usage Guidelines | | | |
| 9.4 | Line Boat Requirements | | | |
| 10.2.1 | Immobilisation Main Engines | | | |
| 12.4 | Marine Pollution Reporting | | | |
| 12.5 | Marine incidents | | | |
| 12.6 | Marine Incident Reporting | | | |

Contents

| Creative | Creative Commons information 2 | | |
|----------------|---|----------|--|
| Contents | S | 5 | |
| List of T | ables | 10 | |
| Table of | amendments | 11 | |
| 1. | Introduction | 12 | |
| 1.1 | General | 12 | |
| 1.2 | Port description | 12 | |
| 1.3 | Purpose | 12 | |
| 1.4 | Datum | 13 | |
| 1.5 | Definitions | 13 | |
| 1.5.1 | Australian Maritime Safety Authority – AMSA | 13 | |
| 1.5.2 | The Australian Ship Reporting System – MASTREP | 13 | |
| 1.5.3 | Australian Standard – AS 3846 – 2005 | 13 | |
| 1.5.4 | Lowest astronomical tide – LAT | 13 | |
| 1.5.5 | Manager (Pilotage Services) | 13 | |
| 1.5.6 | Manager (Vessel Traffic Services) | 14 | |
| 1.5.7 | Maritime Safety Queensland – MSQ | 14 | |
| 1.5.8 | Navigation Act | 14 | |
| 1.5.9 | Overall length – LOA | 14 | |
| 1.5.10 | Pilotage Exemption Certificate – PEC | 14 | |
| 1.5.11 | Port of Townsville Limited – POTL – Marine Services | 14 | |
| 1.5.12 | Queensland Shipping Information Planning System – QSHIPS | 14 | |
| 1.5.13 | REEFREP | 14 | |
| 1.5.14 | Reef VTS | 15 | |
| 1.5.15 | Regional Harbour Master – RHM | 15 | |
| 1.5.16 | Sailing time | 15 | |
| 1.5.17 | Vessel traffic service – VTS | 15 | |
| 1.6 | Contact information | 15 | |
| 1.6.1 | The Regional Harbour Master | 15 | |
| 1.6.2 | VTS centre | 15 | |
| 1.6.3 | Port authority | 16 | |
| 1.6.4 1.6.5 | Quarantine Australian Border Force | 16 16 | |
| 1.6.6 | Australian Maritime Safety Authority (AMSA) | 16 | |
| 1.0.0 | Rules and regulations | 16 | |
| 1.7.1 | General | 16 | |
| 1.7.1 | Applicable regulations | 17 | |
| 1.7.2 | Exemptions and permits | 17 | |
| 1.7.5 | Exemptions and permits | 17 | |
| 2. | Arrival and departure procedures | 18 | |
| 2.1 | Booking a vessel movement | 18 | |
| 2.2 | Arrival/departure reporting | 18 | |
| | Reporting obligations for ships with length 50 metres or a combination of ships with d length 50 metres or more. | 18 | |
| 2.2.2 combinat | Reporting obligations for ships with length 35 metres or more but less than 50 metres or a tion of ships with combined length 35 metres or more but less than 50 metres | 19 | |

| 2.2.3 | Reporting to VIS | 19 |
|--------|--|----|
| 2.2.4 | Permission to proceed within a Port VTS area or a Pilotage area | 19 |
| 2.3 | Arrival checklist | 19 |
| 2.4 | Departure checklist | 20 |
| 2.5 | Arrival/departure report | 21 |
| 2.6 | Quarantine | 21 |
| 2.6.1 | Ballast water information | 21 |
| 2.7 | Customs | 21 |
| 2.8 | Dangerous goods | 21 |
| 2.9 | MASTREP | 22 |
| 2.10 | Reef VTS | 22 |
| 2.11 | Security | 22 |
| 3. | Movement notification and traffic procedures | 23 |
| 3.1 | General | 23 |
| 3.2 | Vessel traffic service (VTS) | 23 |
| 3.2.1 | Townsville VTS Area | 24 |
| 3.2.2 | VTS role | 24 |
| 3.3 | VHF communications | 25 |
| 3.3.1 | Language | 25 |
| 3.3.2 | Voice recordings | 25 |
| 3.3.3 | Distress and emergency | 25 |
| 3.4 | Harbour contact details | 25 |
| 3.5 | Prior notification of movements | 26 |
| 3.6 | QSHIPS (Queensland Shipping Information Planning System) | 26 |
| 3.7 | Booking a vessel movement | 27 |
| 3.8 | Pilotage delays | 28 |
| 3.9 | Tug and tow requirements | 28 |
| 3.9.1 | Operational conditions | 28 |
| 3.9.2 | Notification | 28 |
| 3.10 | Scheduling of ship movements | 29 |
| 3.10.1 | Schedule changes | 29 |
| | | |
| 3.10.2 | Prioritising of ship movements Movement information and Permission to Proceed | 30 |
| 3.11 | | 30 |
| 3.11.1 | Arrivals – Permission to proceed | 30 |
| 3.11.2 | Removals – Permission to proceed | 31 |
| 3.11.3 | Departures – Permission to proceed | 31 |
| 3.11.4 | Ross River – Townsville Port Access Road Bridge | 31 |
| 3.12 | Anchoring | 32 |
| 3.13 | Arrival reporting requirements | 32 |
| 3.14 | Departure and removal reporting requirements | 33 |
| 3.15 | Detained Vessels | 34 |
| 3.16 | Reporting defects | 34 |
| 3.17 | Access to Regional Harbour Master (Townsville) | 34 |
| 4. | Port description | 35 |
| 4.1 | General | 35 |
| 4.2 | Pilotage area | 35 |
| 4.3 | Townsville Compulsory Pilotage Area | 35 |
| 4.4 | Load lines | 36 |
| 4.5 | Maximum vessel size | 36 |

| 4.5.1 | Vessels exceeding the maximum vessel size. | 36 |
|-------|--|----|
| 4.6 | Trim requirements | 36 |
| 4.7 | Time zone | 36 |
| 4.8 | Working hours | 37 |
| 4.9 | Charts and books | 37 |
| 4.9.1 | Notices to Mariners | 37 |
| 5. | Port infrastructure | 38 |
| 5.1 | Berth information | 38 |
| 5.1.1 | Wharf space between ships | 38 |
| 5.1.2 | Berthing direction | 38 |
| 5.2 | Berth restrictions | 39 |
| 5.2.1 | Tankers at berth 1 | 39 |
| 5.2.2 | Berth T1 and T2 | 39 |
| 5.2.3 | Berth T2,T3 and T4 | 39 |
| 5.2.4 | Berth T8 | 39 |
| 5.2.5 | Berth T9 | 40 |
| 5.2.6 | Berth T10 | 40 |
| 5.2.7 | Berth T11 | 40 |
| 5.3 | Shore-based cranes, gantries, portainers and bulk loaders – guidelines | 40 |
| 5.4 | Yacht marinas | 41 |
| 5.5 | Townsville Ross Creek | 41 |
| 5.6 | Townsville Marine Precinct. | 41 |
| 5.7 | Anchorage areas | 42 |
| 5.7.1 | Inner Anchorage | 42 |
| 5.7.2 | Outer Anchorage | 42 |
| 5.7.3 | Anchoring off Australian ports | 43 |
| 5.7.4 | Prohibited anchorage area | 43 |
| 5.8 | Navigation aids | 43 |
| 5.8.1 | Lighthouses and leading lights in Cleveland Bay | 43 |
| 5.8.2 | Buoys/beacons | 44 |
| 6. | Weather information | 47 |
| 6.1 | General | 47 |
| 6.2 | Cyclone procedures | 47 |
| 6.2.1 | Severe weather event | 47 |
| 6.3 | Tidal information | 49 |
| 6.3.1 | Tide boards/gauges | 49 |
| 6.3.2 | Tidal information – tsunami effects | 49 |
| 6.4 | Water density | 50 |
| 7. | Port navigation and movement restriction | 51 |
| 7.1 | General | 51 |
| 7.2 | Speed | 51 |
| 7.3 | Draft Restrictions and Under Keel Clearance | 51 |
| 7.3.1 | Under keel clearance (UKC) | 51 |
| 7.4 | Approaches to pilot boarding places (AUS 256) | 52 |
| 7.4.1 | Dangers off Cleveland Bay | 52 |
| 7.5 | Shifting vessels (removals) | 53 |
| 7.5.1 | Warping – Distance less than 20 metres | 53 |
| 7.5.2 | Warping – Distance does not exceed 60 metres | 53 |

| 7.5.3 | Reporting | 54 |
|--------|---|----|
| 7.5.4 | Warping – Distance more than 60 metres | 54 |
| 7.5.5 | Reporting | 54 |
| 7.6 | Tug and barge operations | 54 |
| 7.7 | Swinging and passing restrictions | 55 |
| 7.7.1 | Ships with LOA greater than 238 m or beam greater than 32.3 m. | 55 |
| 7.7.2 | Ships transiting Ross River to and from Townsville Marine Precinct. | 55 |
| 7.7.3 | Transiting to and from Ross Creek | 55 |
| 7.7.4 | Port busy signal | 56 |
| 7.8 | Advisory Note – Interaction with Marine Mammals | 56 |
| 8. | Pilotage | 58 |
| 8.1 | General | 58 |
| 8.2 | Night pilotage | 59 |
| 8.3 | Request for pilot | 59 |
| 8.3.1 | Notice required | 59 |
| 8.4 | Pilot boarding place (Ground) | 59 |
| 8.4.1 | Pilot Transfers | 59 |
| 8.4.2 | Pilot boat | 60 |
| 8.4.3 | Pilot Transfer arrangements | 60 |
| 8.5 | Passage planning – bridge resource management (BRM) | 60 |
| 8.6 | Master/pilot responsibilities | 61 |
| 8.6.1 | Fatigue management | 61 |
| 8.6.2 | Alcohol consumption | 62 |
| 8.7 | Pilot licences, pilotage area endorsements and exemption from pilotage licences | 62 |
| 8.7.1 | Examination for exemption from pilotage | 62 |
| 8.7.2 | Pre-requisites for issue of exemption from pilotage | 62 |
| 8.7.3 | Cancellation of licenses | 62 |
| 8.7.4 | Pilotage requirements for Torres Strait and Great Barrier Reef (GBR) | 62 |
| 9. | Tug procedures | 63 |
| 9.1 | General | 63 |
| 9.1.1 | Notification of tugs | 63 |
| 9.1.2 | Communicating with tugs | 64 |
| 9.2 | Tug usage guidelines | 64 |
| 9.2.1 | Removals | 65 |
| 9.3 | Thrusters | 65 |
| 9.4 | Line boat requirements | 65 |
| 10. | Work permits | 66 |
| 10.1 | General | 66 |
| 10.2 | Work permits – description | 67 |
| 10.2.1 | Immobilisation main engines whilst alongside | 67 |
| 10.2.2 | Immobilisation main engines whilst at anchorage | 67 |
| 10.2.3 | Hot work permit | 67 |
| 10.2.4 | Life boat drills | 67 |
| 10.2.5 | Engine trials | 67 |
| 10.2.6 | Notification of handling of bulk liquids | 68 |
| 10.2.7 | Gas-free status and OBO's | 68 |
| 10.2.8 | Overside maintenance work alongside | 68 |
| 10 2 9 | Overside maintenance work at anchor | 69 |

| 11. | Dangerous cargo | 70 |
|------------------|---|----|
| 11.1 | General | 70 |
| 11.1.1 | Notification | 70 |
| 11.1.2 | Dangerous cargo limits | 70 |
| 11.1.3 | Check list of required conditions when handling Class 1.1 and 5.1 cargoes. | 71 |
| 11.1.4 | Dangerous cargo events | 71 |
| 12. | Emergency, pollution, marine incidents | 72 |
| 12.1 | General | 72 |
| 12.2 | Authorities | 73 |
| 12.3 | Fire | 73 |
| 12.4 | Marine pollution | 73 |
| 12.4.1 | Reporting a pollution incident | 73 |
| 12.5 | Marine incidents | 74 |
| 12.6 | Marine incident reporting | 74 |
| 12.6.1 | Ships under port pilotage or command of a Pilot Exempt Master | 74 |
| 12.6.2 | Recreational Vessels (vessels regulated under TOMSA) | 75 |
| 12.6.3 Commer | Domestic Commercial Vessels (Ships regulated under the Marine Safety (domestic roial Vessels) National Law Act 2012 | 76 |
| 12.6.4 | Marine incident reporting – Australian Maritime Safety Authority | 77 |
| 12.6.5 | Great Barrier Reef Marine Park Authority incident report form | 77 |
| 12.6.6 | Procedures subsequent to serious marine incidents | 77 |
| 12.6.7 | Port community responsibilities | 77 |
| 13. | Security | 78 |
| 13.1 | General | 78 |
| 13.1.1 | Security levels | 78 |
| 13.1.2 | Shore access to ships and port facilities | 79 |
| 13.2 | Port security contacts | 79 |
| 13.3 | National security | 80 |
| 14. | Port state control inspections | 81 |
| 15. | Port services | 82 |
| 15.1 | Bunkering | 82 |
| 15.2 | Fresh water | 82 |
| 15.3 | Waste | 82 |
| 15.4 | Electric power | 82 |
| 15.5 | Mission to Seafarers | 82 |
| 15.6 | Miscellaneous contacts | 83 |
| 16. | Appendices | 84 |
| 16.1 | Townsville Port and Pilotage | 85 |
| 16.2 | Townsville Pilotage & Compulsory Pilotage areas | 86 |
| 16.3 | Townsville Pilot Boarding Places | 87 |
| 16.4 | Townsville Prohibited Anchorage Area | 88 |
| 16.5 | Townsville Berth 11 | 89 |
| 16.6 | Townsville Port | 90 |
| 16.7 | Townsville - Ross Creek | 91 |
| 16.8 | Breakwater Marina Channel – Sector light | 92 |
| 16.9 | Townsville Ross River | 93 |

| 10.10 | T 'II. A. I | 0.4 |
|---------|--|-----|
| 16.10 | Townsville Anchorages | 94 |
| 16.11 | Townsville VTS Map | 95 |
| 16.12 | Townsville Warning to Vessels – Ship Navigation Areas | 96 |
| 16.13 | Townsville harbour – Port busy Restricted area | 97 |
| 16.14 | Request to Immobilise Main Engines whilst alongside | 98 |
| 16.15 | Request to Immobilise Main Engines whilst at anchorage | 99 |
| 16.16 | Application for reduction in Tugs | 100 |
| 16.17 | Tug commands and indicated responses. | 101 |
| 16.18 | Chemist's Certificate of Compliance | 102 |
| 16.19 | Townsville No 2 Berth | 103 |
| 16.20 | Townsville Portainer No 2&3 Berth | 104 |
| 16.21 | Townsville No 10 Berth | 105 |
| 16.22 | Pilot Transfer Arrangements – Checklist | 106 |
| List | t of Tables | |
| Table 1 | - Arrival checklist | 20 |
| Table 2 | – Departure checklist | 20 |
| Table 3 | – Port VHF communications | 25 |
| Table 4 | – Harbour contact details | 26 |
| Table 5 | – Prior notification of movements | 26 |
| Table 6 | - Inbound reporting requirements | 33 |
| Table 7 | – Outbound reporting requirements | 33 |
| Table 8 | – Berth information | 38 |
| Table 9 | – Sea Channel | 44 |
| Table 1 | 0 – Platypus Channel | 45 |
| Table 1 | 1 – Townsville Harbour | 45 |
| Table 1 | 2 – Ross Creek | 45 |
| Table 1 | 3 – Ross River | 46 |
| Table 1 | 4 – Breakwater Marina | 46 |
| Table 1 | 5 – Speed limits | 51 |
| Table 1 | 6 – Minimum under keel clearances | 52 |
| Table 1 | 7 – Tugs | 63 |
| Table 1 | 8 – Smit Lamnalco Towage Australia contact details | 63 |
| | 9 – Tug usage guidelines | 64 |
| | 0 – Permit requests | 66 |
| | 1 – Notification | 70 |

Table 22 - Emergency contacts

72

Table of amendments

Contact for enquiries and proposed changes. If you have any questions regarding this document or if you have a suggestion for improvements, please contact:

Contact officer: Regional Harbour Master (Townsville)

Phone: +61 7 4421 8100

| Revision Date | Page number or section | Summary of Changes | Approved by |
|----------------|---|---|-------------------------|
| February 2009 | | First Issue | Regional Harbour Master |
| July 2015 | | Second Issue | Regional Harbour Master |
| December 2021 | | Third issue | Regional Harbour Master |
| January 2022 | s3.10.1; s 9.2 | Schedule changes | Regional Harbour Master |
| July 2022 | s3.2; s3.9; s 8.43 s16.21 | VTS description; Pilot transfer arrangements. | Regional Harbour Master |
| September 2022 | s3.2, s9.1 | Information updated | Regional Harbour Master |
| December 2022 | 16.15 | Information Updated; | Regional Harbour Master |
| March 2023 | Entire Document | Correction of numbering, broken links and updating of corporate forms | Regional Harbour Master |
| May 2023 | s2.2.4; s3.11; s3.11.1; s3.11.2; s3.11.3; s9.1.1; s9.2 | Permission to proceed Tug usage | Regional Harbour Master |
| July 2023 | s7.8 s8.4, s8.4.3 | Information Updated | Regional Harbour Master |
| November 2023 | S 16.14, 16.15 | Request to Immobilise Main Engines wording updated. | Regional Harbour Master |