



COALSTOUN LAKES

Chickpea Suitability

SCALE 1 : 50 000



GRID VALUES ARE SHOWN IN FULL AT THE SOUTH-WEST CORNER OF THE MAP
GREY NUMBERED GRID LINES ARE 5000 METRE INTERVALS OF THE AUSTRALIAN MAP GRID, ZONE 56, AGD84.
UNIVERSAL TRANSVERSE MERCATOR PROJECTION

INTENSITY STATEMENT

This is medium intensity survey. It is based on aerial photography interpretation and ground observations of the order of one observation to an area of 15 to 40 hectares.

ACCURACY STATEMENT

Due to varying sources of data sets, spatial locations may not coincide when overlaid.

DISCLAIMER

This map is compiled from information supplied to the Department of Natural Resources. Whilst all care is taken in the preparation of this map, neither the Department nor its officers or staff accept any responsibility for any loss or damage which may result from inaccuracy or omission in the map or from use of the information contained herein.

SURVEY by S.M. McCarroll and D.M. Brough, Department of Natural Resources, Bundaberg.

CARTOGRAPHY by S.F. Crofts, Department of Natural Resources, Brisbane.

BASE MAP - Compiled from the Digital Cadastral Data Base, supplied by the Department of Natural Resources, Brisbane.



REFERENCE

Land is classified on the basis of a specified land use which allows optimum production with minimal degradation to the land resource in the long term.

- Class 1 Suitable land with negligible limitations.
- Class 2 Suitable land with minor limitations.
- Class 3 Suitable land with moderate limitations.
- Class 4 Marginal land - presently unsuitable.
- Class 5 Unsuitable land.
- Water River and creek channels and associated gullies, large dams.

KEY TO ADJOINING SURVEYS

